


RJOB / OKAYAMA

AD CHART



INTENTIONALLY LEFT BLANK

STANDARD DEPARTURE CHART - INSTRUMENT

RJOB / OKAYAMA

SID

MIYAZU TWO DEPARTURE

RWY 07 : Climb via OYE R-070 to 37DME, then turn left, proceed via YME R-235 to YME VOR/DME,....

RWY 25 : Climb RWY HDG until 1NM from RWY end/OYE 0.8DME, turn left, climb via OYE R-226 to 2500FT, turn left, proceed to OYE VOR/DME, then via OYE R-070 to 37DME, turn left, proceed via YME R-235 to YME VOR/DME, cross OYE VOR/DME at or above 5000FT,....

....Cross OYE R-070/20DME at or above 11000FT and cross YME R-235/10DME at assigned or specified altitude.

Note : Following climb gradient should be maintained until 2000 FT.

Speed (Knots)	60	90	120	150	180	210
Rate (Feet/Min)	300	450	600	750	900	1050

OTSU FIVE DEPARTURE


RWY07 : Climb via OYE R-070 to 37DME, turn right, proceed via CUE R-278 to CUE VOR/DME,....

RWY25 : Climb RWY HDG until 1NM from RWY end/OYE 0.8DME, turn left, climb via OYE R-226 to 2500FT, turn left, proceed to OYE VOR/DME, then via OYE R-070 to 37DME, turn right, proceed via CUE R-278 to CUE VOR/DME, cross OYE VOR/DME at or above 5000FT,....

....Cross OYE R-070/20DME at or above 11000 FT, cross CUE R-278/35DME (YME R-190) at assigned or specified altitude.

Note : Following climb gradient should be maintained until 2000 FT.

Speed (Knots)	60	90	120	150	180	210
Rate (Feet/Min)	300	450	600	750	900	1050



STANDARD DEPARTURE CHART - INSTRUMENT

RJOB / OKAYAMA

SID

WASYU TWO DEPARTURE

RWY 07 : Climb via OYE R-070 to 3000FT, turn right proceed to OYE VOR/DME, via OYE R-229 to intercept and proceed via OKC R-256 to WASYU.

Cross OYE VOR/DME at or above 5000FT and cross OYE R-229/15DME at or above 7,000 FT.

RWY 25 : Climb RWY HDG until 1NM from RWY end/OYE 0.8DME, turn left, climb via OYE R-229 to intercept and proceed via OKC R-256 to WASYU.

Cross OYE R-229/10DME at or above 5000 FT and cross OYE R-229/15DME at or above 7000 FT.

Note : Following climb gradient should be maintained until 2,000 FT.

Speed (Knots)	60	90	120	150	180	210
Rate (Feet/Min)	300	450	600	750	900	1050

KIBI REVERSAL FOUR DEPARTURE

RWY 07 : Climb via OYE R-070 to 3000FT, turn right, proceed to OYE VOR/DME,....

RWY 25 : Climb RWY HDG until 1NM from RWY end/OYE 0.8DME, turn left, climb via OYE R-226 to 2500FT, turn left, proceed to OYE VOR/DME,....

...Cross OYE VOR/DME at or above 5000FT.

Note : Following climb gradient should be maintained until 2000FT.

Speed (Knots)	60	90	120	150	180	210
Rate (Feet/Min)	300	450	600	750	900	1050

OKAYAMA TWO DEPARTURE


RWY 07 : Climb via OYE R-070 to 3000FT, turn right, proceed to OKC VORTAC,....

RWY25: Climb RWY HDG until 1NM from RWY end/OYE 0.8DME, turn left, climb via OYE R-226 to 2500FT, turn left, proceed to OKC VORTAC,....

...Cross OKC VORTAC at or above 4000FT.

Note : Following climb gradient should be maintained until 2,000 FT.

Speed (Knots)	60	90	120	150	180	210
Rate (Feet/Min)	300	450	600	750	900	1050




STANDARD DEPARTURE CHART - INSTRUMENT

RJOB / OKAYAMA

TRANSITION

CHIZU TRANSITION


From over OYE VOR/DME, proceed via OYE R-070 to CHIZU.
Cross OYE R-070/20DME at or above 11,000FT.



INSTRUMENT APPROACH CHART

RJOB / OKAYAMA

ILS or LOC RWY07




INSTRUMENT APPROACH CHART


RJOB / OKAYAMA

VOR A

KANSAI APP 121.2 - 120.4 - 261.2	KIBI VOR/DME 111.0 OYE CH-47X 34°45'01"N / 133°50'06"E	OKAYAMA TOWER 124.3 - 126.2	RADAR AVBL
---	---	--	-------------------



Remain within D12.0 OYE



MISSED APPROACH
 Climb via OYE R070 to 4000FT,
 turn left, direct to OYE VOR/DME
 within OYE 10.0DME and hold.
 Contact KANSAI APP.

MINIMA		AD elev. 785
CAT	CIRCLING	
	MDA(H)	VIS
A	1680 (895)	1600
B		2400
C		3200
D		


Circling to SOUTH side of RWY only.

INSTRUMENT APPROACH CHART

RJOB / OKAYAMA

VOR B


KANSAI APP 121.2 - 120.4 - 261.2	KIBI VOR/DME 111.0 OYE CH-47X 34°45'01"N / 133°50'06"E	OKAYAMA TOWER 124.3 – 126.2	RADAR AVBL
--	--	---------------------------------------	-------------------



MISSED APPROACH

Climb via OYE R250 to 4000FT,
turn right, direct to OYE VOR within
10NM of OYE VOR and hold.
Contact KANSAI APP.

Remain within 14NM of OYE



MINIMA

AD elev. 785

CAT	CIRCLING	
	MDA(H)	VIS
A	1760 (975)	1600
B		2400
C		3200
D		

Circling to SOUTH side of RWY only.

RJOB / OKAYAMA


Visual REP




Call sign	BRG / DIST from ARP	Remarks
江 与 味 Eyomi	356°/11.5NM	江与味橋 Bridge
高 梁 Takahashi	285°/11.9NM	JR駅 JR Station
倉 敷 Kurashiki	212°/10.2NM	JR駅 JR Station
岡 山 Okayama	156°/ 6.2NM	JR駅 JR Station
山 陽 Sanyo	097°/ 8NM	山陽町役場 Sanyo-Town-office

RJOB / OKAYAMA

LDG CHART



ILS



REMARKS :

1. LOC beam BRG(MAG)	066°
2. HGT of ILS REF datum	16.5m(54ft)
3. GP Angle	3.0°